




Human Health and Disease

Health : Health is not simply ‘absence of disease’ or ‘physical fitness’.

Factors affecting health: Mental state, genetic disorders, infections and lifestyle (habits, rest and exercise)



Disease

- It is the state of the body when the functioning of one or more organ systems is adversely affected, characterized by various signs and symptoms.

Parameters	Types of disease	
	Non - infections	Infectious
Transmission from one person to another	No	Yes
Example	Cancer	Yes

Pathogens : Disease causing organisms:

- Most parasites are pathogens living in (or on) the host, multiply and interfere with normal vital activities resulting in morphological and functional damage.
- Gut pathogens can survive harsh pH & digestive enzymes.
- Vector: Transmits disease from one organism to another e.g., female *Aedes* mosquito is the vector for dengue and chikungunya while *Anopheles* spreads malaria.

Table: Classification of diseases on the basis of transmission

Mode of transmission	Bacterial	Viral	Protozoan	Helminthic
Air (droplet/aerosol) or object borne (pens , knobs etc.)	Pneumonia, diphtheria	Common cold, Smallpox	–	–
Direct Contact	Tetanus	Smallpox	–	–
Contaminated food and water	Typhoid, dysentery	Polio	Amoebiasis	Ascariasis
Body fluids	Syphilis	AIDS	Trichomoniasis	
Insect vector/vector borne	Plague	Chikungunya, Dengue	Malaria	Filariasis

Bacterial Diseases:

Disease	Pathogen	Organ affected	Common symptoms
Typhoid	<i>Salmonella typhi</i> Diagnostic test: Widal test	Small intestine and other organs by migrating through blood	Sustained high fever (39–40°C) <ul style="list-style-type: none"> ● Stomach pain ● Weakness ● Constipation ● Headache ● Loss of appetite In severe cases, intestinal perforation and death may occur.
Pneumonia	<i>Streptococcus pneumoniae</i> , <i>Haemophilus influenzae</i>	Alveoli of lungs	<ul style="list-style-type: none"> ❖ Problem in respiration due to fluid filled alveoli ❖ Fever, chills, cough, headache In severe cases, lips and finger nails may turn gray to bluish

Viral Diseases:

Disease	Pathogen	Organ affected	Symptoms
Common cold	Rhino virus	<ul style="list-style-type: none"> ❖ Nose and respiratory passage ❖ Common cold does not infect lungs 	<ul style="list-style-type: none"> ❖ Nasal congestion and discharge ❖ Sore throat ❖ Hoarseness, cough ❖ Headache, tiredness ❖ symptoms usually lasts for 3-7 days

Helminthic Diseases:

Disease	Pathogen	Organ/structure affected	Symptoms
Ascariasis	<i>Ascaris</i> (Roundworm)	Intestine	Internal bleeding, fever, muscular pain, anaemia, blockage of intestinal passage
Elephantiasis/ Filariasis	<i>Wuchereria bancrofti</i> <i>W. malayi</i> (Filarial worm)	Lymphatic vessels	Chronic inflammation of organs in which they live for many years resulting in gross deformities e.g., limbs, genital organs etc.

Fungal Diseases:

Disease	Pathogen	Body parts affected	Symptoms
Ringworm	<i>Microsporum</i> , <i>Trichophyton</i> , <i>Epidermophyton</i>	Skin, nails & scalp	Dry, scaly lesions Intense itching


Protozoa Diseases:

Disease	Pathogen	Area affected	Symptoms
Amoebiasis/ Amoebic dysentery	<i>Entamoeba histolytica</i>	Large intestine	<ul style="list-style-type: none"> ❖ Constipation ❖ Abdominal pain ❖ Cramps ❖ Stool with excess mucous and blood clots
Malaria	<i>Plasmodium</i> <ul style="list-style-type: none"> ❖ <i>P. vivax</i> ❖ <i>P. malariae</i> ❖ <i>P. falciparum</i> ❖ <i>P. ovale</i> 	RBCs	<ul style="list-style-type: none"> ❖ Chills ❖ High fever recurring every 3-4 days ❖ If left untreated, it can be fatal

AIDS/Acquired Immunodeficiency Syndrome:

- It is the deficiency of the immune system, acquired during the lifetime of an individual.
- It is a non congenital and fatal infectious disease. It is caused by HIV (Human immunodeficiency virus).

Table : Enveloped virus enclosing 2 single stranded RNA genome

Life cycle	Mode of transmission	High Risk Individuals
Entry of virus of body  Entry into body cells (Macrophages, helper T- Cells)	Sexual contact	Multiple sexual partners
	Placenta	HIV infected mother to foetus
	Blood transfusion	Reputed blood transfusion
	Infected needles	Drug addicts (intravenous)

- There is progressive decrease in number of helper T-cells.
- Initial symptoms: Fever, diarrhoea, weight loss.
- Later the immune-deficient patient is prone to infections especially those due to Mycobacterium, viruses, fungi, Toxoplasma, etc.
- There is always a time-lag between infection and appearance of AIDS symptoms. This may vary from a few months to many years (usually 5-10 years).
- Diagnostic Test: ELISA (Enzyme Linked Immuno-Sorbent Assay)
- Treatment: Anti-retroviral drugs, can only prolong life but cannot prevent death

Cancer:

A dreaded non-infectious disease; major cause of death all across the globe.

Parameter	Normal cells	Cancerous cells/ Neoplastic cells
Cell growth and differentiation	Highly controlled and regulated	Uncontrolled & nonregulated
Contact inhibition	Present, virtue of which contact with other cells inhibits their growth	Lost, so these cells keep on dividing and form mass of cells called Tumor/ Neoplasm

Types of Tumor:

Parameter	Benign	Malignant tumour/cancer
Location	Confined to original place	Grow rapidly and spread to other parts
Damage	Little damage	Invade and damage other cells starving normal cells by competing for vital nutrients.
Metastasis	No	Yes, cells sloughed from such tumors reach distant sites through blood and start new tumor called metastasis (most feared property).

- Tumor cells have ability to avoid detection and destruction by immune system.
- Approaches for treatment :
 - Surgery
 - **Radiotherapy:** Tumor cells irradiated lethally
 - **Chemotherapy:** Side effects like hair loss, anemia
 - Immunotherapy: α -interferons (Biological response modifiers) activate immune system and helps in destroying the tumor.


Immunity

The ability of the host to fight the disease causing organisms, conferred by the immune system is called immunity.

Parameters	Types	
	Innate	Acquired
Observed	Time of birth	After birth
Exposure to infection	No required	Required
Defense	Non specific	Specific
Memory record	No	Yes

Lymphoid organs :

The human immune system consists of lymphoid organs, tissues, cells and soluble molecules like antibodies. This response is carried out by two special types of lymphocytes present in our blood i.e., B and T-lymphocytes.



IMMUNE RESPONSE		
Type	Primary	Secondary/Anamnestic
Exposure to pathogens	First time	Subsequent times
Intensity	Low ————— Based on ————— High memory of first encounter	

Responses are carried out by B and T lymphocytes:

- Each antibody has 4 peptide chains (H₂L₂): 2 long heavy chains and 2 short light chains. They are called immunoglobulins (Ig). The different types of immunoglobulins are: IgA, IgM, IgE, IgG, IgD
- T-lymphocytes are responsible for graft rejection

Types of immunity		
Antibodies	Active Produced within the host body	Passive Ready-made/preformed antibodies are directly given
Time taken for full/effective response	Natural infection ————— → Antibody production in host Vaccination ————— → Antibody production in host Deliberate injection of living/dead microbes/proteins	Mother $\xrightarrow{\text{Colostrum (IgA)}}$ Foetus Mother $\xrightarrow{\text{Colostrum (IgA)}}$ Infant

- Recombinant DNA technology has allowed the large scale production of antigenic polypeptides of pathogen in bacteria/yeast. Hence, greater availability for immunization, e.g., hepatitis B vaccine produced from yeast.

Allergies:

Exaggerated response of immune system to certain antigens present in the environment

Allergens	Substances to which exaggerated immune response is produced e.g., pollens, mites in dust, animal dander, etc.
Antibodies	IgE type
Symptoms	Sneezing, watery eyes, running nose, difficulty in breathing
Chemical released	Histamine and serotonin from mast cells
Diagnosis	Patient is exposed to or injected with very small doses of possible allergens and reactions studied.
Treatment	Anti-histamine, adrenaline and steroids quickly reduce the symptoms of allergy

Drug Abuse:

- Chemical when taken for a purpose other than medicinal use or in amounts/frequency that impairs one's physical, physiological or psychological functions and constitutes drug abuse.
- Source-Majorly from flowering plants and some from fungi.
- Chronic use of drugs and alcohol damages nervous system and liver (Cirrhosis)

Drug	Receptors	Source	Intake	Examples	Action and anything specific
Opioids	CNS, GIT	Latex of poppy plant, <i>Papaver somniferum</i>	Snorting, injection	<ul style="list-style-type: none"> • Morphine • Heroin/Smack (Diacetylmorphine) 	<ul style="list-style-type: none"> • Effective sedative and pain killer • Useful in patients undergone surgery • Depressant and slows down body functions • Odourless, white, bitter crystalline compound
Cannabinoids	Principally in brain	Inflorescence, flower tops, leaves and resin of cannabis plant	Inhalation, oral ingestion	<ul style="list-style-type: none"> • Charas • Hashish • Ganja • Marijuana 	<ul style="list-style-type: none"> • Effects on cardiovascular system of the body • Also being abused by some sportspersons
Stimulants	CNS	Coca plant <i>Erythroxylum coca</i> (Native of South America)	Snorting	<ul style="list-style-type: none"> • Cocaine/coca alkaloid • Commonly called (coke/crack) 	<ul style="list-style-type: none"> • Interferes with transport of neurotransmitter dopamine • Potent stimulating action on CNS, producing sense of euphoria and increased energy • Excessive dosage causes hallucinations
Hallucinogens		<i>Atropa belladonna</i> , <i>Datura</i>			<ul style="list-style-type: none"> • Have been used for hundreds of years in folk medicine, religious ceremonies and rituals all over the globe
Others drugs		Synthetic		Barbiturates, Benzodiazepines, Amphetamines	<ul style="list-style-type: none"> • Help patients cope with mental illnesses like depression and insomnia



PW Web/App - <https://smart.link/7wwosivoicgd4>

Library- <https://smart.link/sdfez8ejd80if>