Chapter 10


IwillWin

Light Reflection & Refraction

Class 10

100% Paper yahi se banega

Topics Covered



Reflection- Concave & Convex Mirror



Concave and Convex Lens



Refraction- Refractive Index & Snell's Law



Bahut Saare PYQS


Reflection of Light

The Bouncing back of light when it hits a polished surface like mirror

Laws of Reflection


∠i = ∠r
 Angle of incidence = Angle of reflection

 The incident ray, the reflected ray & the normal, all lie in the same plane.




Spherical Mirror






Convex Mirror




Spherical Mirrors


- Pole (P):
- Centre of Curvature (C):
- Principal Axis (PA):
- Radius of Curvature (R):

Convex Mirror





Principal Focus (F) & Focal length (f)



For spherical mirror: R= 2f

Image formation and characteristics

- If rays of light actually meet ⇒ Real Witi Invented
- If rays of light appear to meet ⇒ Vintval keedhi

Image formation: Concave Mirror - Rules





Image formation for Concave Mirror

a Point sized.


Object at ∞



CHARACTERISTICS

- Image at Focus.
- Real, Inverted, Highly Diminished.


Object beyond C



CHARACTERISTICS

- Image between C & F.
- Real, Inverted, Diminished.


Object at C Special



CHARACTERISTICS

- Image at C.
- Real, Inverted, Same size.

Object between C&F



CHARACTERISTICS

- Image beyond C.
- Real, Inverted, Magnified.

Object between F&P Object at F Exect

CHARACTERISTICS

- Image at infintiy.
- Real, Inverted, Highly Magnified.


CHARACTERISTICS

- Image behind mirror.
- Virtual, Erect, Magnified.

V. Special



Alakh Sir Koncept (ASK)




Summary for Concave Mirror

	2 (1971)
-1 t	


Position of the Object	Position of the Image	Size of the Image	Nature of the Image
At infinity	At the focus F	Highly diminished, point-sized	Real and inverted
Beyond C	Between F and C	Diminished	Real and inverted
At C	At C	Same size	Real and inverted
Between C and F	Beyond C	Enlarged	Real and inverted
At F	At infinity	Highly enlarged	Real and inverted
Between P and F	Behind the mirror	Enlarged	Virtual and erect

Position of the Object	Position of the Image	Size of the Image	Nature of the Image
At infinity	At the focus F	Highly diminished, point-sized	Real and inverted
Beyond C	Between F and C	Diminished	Real and inverted
At C	At C	Same size	Real and inverted
Between C and F	Beyond C	Enlarged	Real and inverted
At F	At infinity	Highly enlarged	Real and inverted
Between P and F	Behind the mirror	Enlarged	Virtual and erect




Use of Concave Mirror












Use of Concave Mirror

To Concentrate sunlight to produce heat → solar furnace



7 object at 20

Activity 9.2

An object is placed at a distance of 30 cm from the reflecting surface of a concave mirror of radius of curvature 40 cm. The image formed is


$$R=2f$$

$$R = 40cm$$
 $R = 2f$ $40 = 2f$ $f = 40 = 20cm$

Virtual and magnified


Virtual and diminished

Real and magnified




Real and diminished

A student wants to obtain an erect image of an object using a concave mirror of 10cm focal length. What will be the distance of the object from mirror?



more than 20 cm

The image of an object placed in front of a concave mirror of focal length 15cm is of the same size as the object. The distance between the object and its image is







Case	Mirror	Focal Length (cm)	Object Distance (cm)	Three concave Mirrors CBSE 2024
1	Α	20 40	45	nobject beyond (=) Image between
2	В	15 30	30) n at C dimnished Fix P
3	С	30 60	20 /	-) 1) between 1 2 1

a) In which one of the above cases the mirror will form a diminished image of the object? Justify your answer.

b) List two properties of the image formed in case 2. Image at Converted

c) What is the nature and size of the image formed by mirror C? Draw ray diagram to justify your answer. Image Schind the mirror of Vintual Exect, Magnified




Image formation: Convex Mirror - Rules






Image formation of Convex Mirror



Object at infinity ∞




CHARACTERISTICS

- Image at F.
- Virtual, erect, highly diminished (point sized)

Position of the Object	Position of the Image	Size of the Image	Nature of the Image
At infinity	At the focus F	Highly diminished, point- sized	Virtual and erect
Between infinity and the pole P of the mirror	Between F and P	Diminished	Virtual and erect

Use of Convex Mirror





Reason: Jimnike d


1. Upright /erect image.

2. Wider field of view.

Rear- view mirrors



Summary: Concave & Convex Mirror





- Only erect & virtual image.
- Always diminished
 { Seedhi + Choti image }


List four properties of the images formed by convex mirrors when objects are placed anywhere in front of their reflecting surfaces.




Sign Convention



1) All distances are measured from Pole (P).






Mirror Formula

$$\frac{1}{f} = \frac{1}{v} + \frac{1}{u}$$

f = focal length
u = object distance
v = image distance



NOTE: 1) $\mathcal{U} \rightarrow \text{always-} \text{Ve}$ 2) Conve) $(\rightarrow) f \rightarrow + \text{Ve}$ An object is placed at a distance of 10 cm in front of a concave mirror of focal length 15 cm. Use mirror formula to determine the position of the image formed in this mirror.

$$\mathcal{U} = -10cm$$

$$f = -15cm$$

$$\frac{1}{-15} = \frac{1}{V} + \frac{1}{-10}$$

$$\frac{1}{10} = \frac{1}{10} = \frac{1}{15}$$

$$\frac{1}{10} = \frac{3}{2} = \frac{1}{10}$$

$$V = 30cm$$



An object is placed at a distance of 18 cm from the pole of a concave mirror of focal length 12 cm. Find the position of the image formed in this case.

Concave


$$f = -12 \text{cm}$$

$$V = ?$$


$$\frac{1}{f} = \frac{1}{V} + \frac{1}{U}$$



An object is placed at a distance of 30 cm from the pole of a concave mirror. If its real and inverted image is formed at 60 cm in front of the mirror, the focal length of the mirror is:



a) Complete the following ray diagram to show the formation of image:




- b) Mention the nature, position and size of the image formed in this case. Exect, Vintval, dimnified Betw F&P
- c) State the sign of the image distance in this case using the Cartesian sign convention. $+\sqrt{e}$


Magnification (m)

$$m = \frac{hi}{h_o}$$

$$m = -\frac{v}{u}$$

A convex mirror used for rear view on an automobile has a focal length of 1.5 m. If a 3 m high bus is located at 6.0 m from the mirror, use mirror formula to determine the position and size of the image of the bus as seen in the mirror.





Magnification (m) & Nature of image

$$m = \frac{h_i}{h_0}$$

1)
$$m = 2$$

 $h_i = 2xh_0$

2)
$$M = \frac{1}{2}h_0$$

$$h_i = \frac{1}{2}h_0$$


3)
$$m = -2$$
 $(4) m = -\frac{1}{2}$
 $h_i = -2 \times h_0$ $h_i = -\frac{1}{2}h$

$$(4) m = -\frac{1}{2}h_0$$

$$h_i = -\frac{1}{2}h_0$$

- "The linear magnification produced by a spherical mirror is +3". Based on this statement answer the following questions:
- a) What is the type of the mirror? Concave Minus
- b) Where is the object located? Between F&P
- c) List two properties of the image formed (other than the size/ magnification). Vistbal · Exect · Behind the mismos

Spherical lens



Principal Focus (F) & Focal Length (f)

1) Convex Lens

Note: They have two F
- F₁ & F₂ due to two
curved surfaces.

2) Concave Lens






Image Formation (Convex Lens)-Rules




Object at ∞



CHARACTERITICS OF IMAGE

Image at F₂
Real, Inverted, Highly Diminished


Object Beyond 2F₁




CHARACTERITICS OF IMAGE

Image between F₂ & 2F₂ Real, Inverted, Diminished

Object at 2F₁



Object Between 2F₁ & F₁



CHARACTERITICS OF IMAGE

Image at 2F₂ / Real, Inverted, Same size

CHARACTERITICS OF IMAGE

Image Beyond 2F₂ ✓ Real, Inverted, Magnified




Image at ∞ // Image on same side of Object/ Real, Inverted, Highly Magnified Virtual, Erect, Magnified





Image Formation Summary (Convex Lens)



Position of the object	Position of the image	Relative size of the image	Nature of the image
At infinity	At focus F₂	Highly diminished, point- sized	Real and inverted
Beyond 2F₁	Between F₂ and 2F₂	Diminished	Real and inverted
At 2F ₁	At 2F₂	Same size	Real and inverted
Between F ₁ and 2F ₁	Beyond 2F₂	Enlarged	Real and inverted
At focus F₁	At infinity	Infinitely large or highly enlarged	Real and inverted
Between focus F₁ and optical centre O	On the same side of the lens as the object	Enlarged	Virtual and erect



At what distance from a convex lens should an object be placed to get an image of the same size as that of the object on a screen?

A Beyond twice the focal length of the lens.

(CBSE 2024)

At the principal focus of the lens.

C At twice the focal length of the lens.



Between the optical centre of the lens and its principal focus.

When an object is placed beyond 2F of a convex lens, the nature of the image is formed is:



Real, Inverted and Diminished



В

Real, Erect and Magnified


C

Virtual, Erect and Magnified




Real, Inverted and Magnified

Image Formation (Concave Lens)-Rules



Object at finite distance (anywhere except ∞)



CHARACTERITICS OF IMAGE Image between F₁ & O ✓ Virtual, Erect, Diminished Object at ∞






Image at F₁

Virtual, Erect, Highly Diminished



Summary of Convex & Concave Lens



Concave Lens

- Erect / Upright
- Diminished

{ Seedhi + Choti image }

Sign Convention, Lens Formula & Magnification

Pole -> Optical Centre

- 1. Here all distances are measured from the optical centre (O) of the lens.
- 2. Rest all same rule for sign

$$\frac{1}{f} = \frac{1}{v} - \frac{1}{u}$$

$$m = \frac{h_i}{h_o}$$

$$m = \frac{v}{u}$$

Same Rule

An object of height 4.0 cm is placed at a distance of 30 cm from the optical centre of a convex lens of focal length 20 cm.

Use lens formula to determine

- a) the distance of the image from the optical centre and
- b) height of the image formed. 8 cm (Inverted)

$$f = +20$$
cm
 $M = -30$ cm
 $h_0 = 4$ cm
 $V = ?$
 $h_i = ?$

$$\frac{1}{V} = \frac{3-2}{60} = \frac{1}{60}$$

$$M = \frac{1}{1} = \frac{60}{30}$$

$$V = 60 \text{ cm}$$

$$M = \frac{1}{1} = \frac{60}{30}$$

$$M = -2 = \frac{1}{1}$$

$$h_{i} = -8 \text{ cm}$$

"The value of magnification 'm' for a lens is -2." Using new Cartesian Sign Convention and considering that an object is placed at a distance of 20 cm

from the optical centre of this lens, state: (i) the nature of the image formed; Red, Involled, Magnified

(ii) size of the image compared to the size of the object; double of object (iii) position of the image and V=? V=+40cm

(iv) sign of the height of the image

$$m = \frac{v}{u}$$

$$-2 = \frac{v}{u}$$

$$U = \frac{v}{u}$$

$$V = \frac{v}{u}$$

$$m=-2$$
 $hi=-2xh_0$
Inverted
Real
Magnified
 $M=-20cm$


The image of a candle flame formed by a lens is obtained on a screen placed on the other side of the lens. According to new cartesian sign convention, if the image is three times the size of the flame, then the lens is



Concave and Magnification is -3

Convex and Magnification is -3

Convex and Magnification is +3



Power of a Lens
$$P=-3$$
 | concave diverging $P=-6$ | lens $P=-6$ | lens

> Concave lens

The power of a lens (P) is its ability to converge or diverge rays of light.

 $=\frac{10}{100}=0.1$ m

It is defined as the reciprocal of the focal length (f) of the lens:

$$f (in m) = \frac{cm}{100}$$

$$\begin{cases} f(\text{in m}) = \frac{cm}{100} \end{cases} P = +2 \begin{cases} converging \\ P = +5 \end{cases} \begin{cases} converging \\ convex \end{cases} P = \frac{1}{f_1} + \frac{1}{f_2} + \frac{1}{f_3} + \dots$$

Power of Combination

$$P = P_1 + P_2 + P_3 + ...$$

$$P = \frac{1}{f_1} + \frac{1}{f_2} + \frac{1}{f_3} + \dots$$

An object is kept at a distance of 1 m from a lens of power +2D:



$$P=+2D$$
 $(f=+ve)$
Converging lens

$$P = \frac{1}{f} \text{ in metres}$$

$$2 = \frac{1}{f} \text{ in metres}$$

$$2 = \frac{1}{f} \text{ in metres}$$

$$f = \frac{1}{2} \text{ m}$$

$$f = \frac{1}{2} \text{ xloo} = 5 \text{ ocm}$$

$$V = \frac{1}{f} \text{ in metres}$$

(CBSE 2023)
$$f = \frac{1}{2} m$$

$$\mathcal{U} = -1 m$$

$$V = ?$$

$$\frac{1}{1-2} = \frac{1}{1-1}$$

$$2 = \frac{1}{1-1}$$

$$2 = \frac{1}{1-1}$$

The power of a combination of two lenses in contact is +1.0D. If the focal length of one of the lenses of the combination is +20.0 cm, the focal length of the other lens would be



$$P = P_{1} + P_{2}$$

$$P = \frac{1}{f_{1}} + \frac{1}{f_{2}}$$

$$= \frac{1}{200} + \frac{1}{f_{2}}$$

$$= 5 + \frac{1}{f_{2}}$$

$$f = \frac{1}{f_{2}}$$

$$\frac{1}{f_{2}} = -\frac{1}{4}$$

$$f_{2} = -\frac{1}{4}m$$

$$f_{3} = -\frac{1}{4}x \log = -25cm$$

An object is placed at a distance of 20 cm from the optical centre of a concave lens and its image is formed on the same side of the lens as the object. If the distance of the image from optical centre of the lens is 10 cm, use lens formula to determine:

- (i) focal length, and
- (ii) power of the lens in new Cartesian sign conventions.

$$H.W=$$
 CBSE 2025
 $f=?$ comment
 $P=?$ Comment


Refraction of Light


The bending of light ray when it travels from one medium to another

Cause of Refraction?

Refraction occurs because light travels with different speed in

different medium





Denser > Jisme Speed of light of the !

Absolute Refractive Index (R.I)

1) Absolute R.T. of any medium
$$X$$
 is $\eta_X \rightarrow \Omega_X = \Omega_X$

C > Speed of light in air/vaccum =
$$3 \times 10^8 m/s$$

 $V_X \rightarrow Speed of light in X$

M Dense Toptically

Absolute R.T. of Water -> Mw

Vw-> speed of light in water.

Absorbet R.T. of Glass
$$M_g = \frac{C}{V_g}$$

$$\eta \propto \frac{1}{\sqrt{y}}$$
 $\eta \uparrow \Rightarrow \forall \downarrow \Rightarrow Dense$
 $\eta \downarrow \Rightarrow Dense$

1)
$$N_A = 2$$
 $N_B = 5$ Dense

Speed of light

Absolute refractive indices of water and glass are

⁻⁴ and 3 respectively

3


In which one of the two media is the speed of light more?

$$\eta_{w} = \frac{4}{3} = 1.33$$
 $\eta_{w} = \frac{4}{3} = 1.33$
 $\eta_{w} = \frac{3}{2} = 1.5$
 $\eta_{w} < \eta_{g}$
 $\eta_{w} < \eta_{g}$

Refractive Index (R.I)


(n) → kitna dense? [optically]

$$\eta_{21} = \frac{\eta_2}{\eta_1} = \frac{V_1}{V_2}$$



V1 = Speed of light in 1

V2 = Speed of light in 2



If the absolute refractive indices of two media X and Y are $\frac{6}{5}$ and $\frac{4}{3}$ respectively, then the refractive index of Y with respect to X will be :



$$\eta_{X} = \frac{6}{5}$$

$$\mathbf{B} \quad \frac{9}{10}$$

$$\frac{\mathsf{c}}{8}$$

$$\frac{8}{9}$$

$$\eta_{\chi} = \frac{\eta_{\chi}}{\eta_{\chi}}$$

$$\frac{4}{3} = \frac{2}{3} \times \frac{5}{3} = \frac{10}{9}$$

(CBSE 2025)

Absolute refractive index of water and glass is $\frac{4}{3}$ and $\frac{3}{2}$ respectively. If the speed of light in glass is 2 x 10⁸ m/s, the speed of light in water is:

$$\gamma_{\omega} = \frac{4}{3}$$


$$\gamma_{g} = \frac{3}{2}$$

$$V_{g} = 2 \times 10^{8} \text{m/s}$$

$$V_{\omega} = ?$$

(CBSE 2025) 2.25 x108 m/s = VW

Refraction Through A Glass Slab



Porovided medium on same hoth side is same

To remember:

 Emergent ray is parallel to the incident ray


Lof emergence Lof incidence

Laws of Refraction

- ✓ The incident ray, Normal & the refracted ray lies on the same plane
- The ratio of sine of Angle of incidence to the sine of angle of refraction remain constant for a given pair of media.

Snell's Law


$$\frac{\sin i}{\sin \gamma} = \text{Constant}$$





$$\frac{\text{Sin } i_1}{\text{Sin } Y_1} = \frac{\text{Sin } i_2}{\text{Sin } Y_2} = \frac{\text{Sin } i_3}{\text{Sin } Y_3} = \frac{\text{Ned ium } 1}{\text{Sin } Y_2}$$

Case of No Bending No nefraction

Normal incidence







2. No medium change or no change in refractive index