

Participant ID				
Participant Name				
Test Center Name	iON Digital Zone iDZ Omaxe City			
Test Date	27/07/2022			
Test Time	8:30 AM - 10:30 AM			
Subject	Junior Executive(ATC)			

Section : English Language






Q.6 Select the option that expresses the given sentence in the past perfect continuous tense.

## Has Ramesh worked all night?

Ans X 1. Did Ramesh work all night?



X 3. Has Ramesh been working all night?

X 4. Had Ramesh worked all night?

Question ID: 63068050639

Status: Answered

Chosen Option: 2

Q.7 Select the option that can be used as a one-word substitute for the given group of words/phrase.

To grind or crush into fine particles

Ans X 1. Polaroid

X 2. Polygon

3. Pulverise

X 4. Ponder


Question ID: 63068050758

Status: Answered

Q.8 In the given sentence, four words have been underlined and the underlined words are given as options. Select the option that contains an error. The smiling young woman walked cautious with high heels, over the freshly mopped floor of the hotel, <u>carrying</u> a fancy bag. Ans X 1. smiling young 2. cautious X 3. carrying X 4. freshly Question ID: 63068047987 Status: Answered Chosen Option: 4 Q.9 Select the most appropriate option to fill in the blank. The steep \_\_\_\_\_ of the hill was a challenge to the trekkers. Ans X 1. assent 2. ascent X 3. accident X 4. ascend Question ID: 63068050318 Status: Answered Chosen Option: 2

Q.10 Select the most appropriate option to fill in the blank. I urged Seema to \_\_\_\_\_ in touch with me regularly. Ans X 1, come X 2. take X 4. go Question ID: 63068050770 Status: Answered Chosen Option: 3 Q.11 The following sentence has been split into four segments. Identify the segment that contains a grammatical error. He didn't knew / where to keep his books / so he left them / lying on the table. Ans X 1. so he left them X 2. lying on the table 3. He didn't knew X 4. where to keep his books Question ID: 63068050191 Status: Answered Chosen Option: 3 Q.12 Select the option that can be used as a one-word substitute for the given group of words. The plants and vegetation of an area Ans 🗳 1. Flora X 2. Botany X 3. Geography X 4. Fauna Question ID: 63068054852 Status: Answered Chosen Option: 1

Q.13 Select the option that gives the most appropriate meaning of the underlined word. She used her position as a minister to pervert the course of justice. Ans X 1. To facilitate X 2. To lead properly 3. To turn away X 4. To correct Question ID: 63068050284 Status: Answered Chosen Option: 3 Q.14 In the given sentence, four words have been underlined and the underlined words are given as options. Select the option that contains an error. My conservative father has bought some heavier jewellery for my sister's grand wedding, in balmy October. Ans X 1. grand 2. heavier X 3. conservative X 4. balmy Question ID: 63068047966 Status: Answered Chosen Option: 2



- 1. It is difficult to calculate the exact number of words.
- 2. If we calculate all of scientific nomenclature, this could easily double the figure.
- 3. Run on sentence is an ungrammatical construction in which two or more independent clauses are improperly joined without a conjunction.
- 4. For example, there are apparently one million insects already described in the scientific nomenclature with several million more awaiting description.



X 2.4

X 4. 1

Question ID: 63068074854

Status: Answered

Chosen Option: 3

Q.16 Select the most appropriate option to fill in the blank.

is a person who remains absent from school regularly without permission.

Ans X 1. delinquent

2. truant

X 3. child prodigy

X 4. diligent

Question ID: 63068050750

Status: Answered

Q.17 Select the most appropriate article to fill in the blank. During the fight, he was injured in \_\_\_\_\_ arm. Ans X 1, an X 2. No article X 3. a √ 4. the Question ID: 63068051206 Status: Marked For Review Chosen Option: 4 Q.18 Select the most appropriate meaning of the given proverb. The fat buffalo will attract the lean buffalo. Ans X 1. Weak people are exploited by strong people. 2. Successful people lead by example. X 3. Strong people attract only weak people. X 4. People run behind the thing they lack. Question ID: 63068055152 Status : Answered Chosen Option: 1

Q.19 Select the option that expresses the given sentence in progressive present tense form. Micro, Small and Medium Enterprises (MSMEs) face challenges when it comes to adopting new technologies such as Industry 4.0.

Ans 1. Micro, Small and Medium Enterprises (MSMEs) have been facing challenges when it comes to adopting new technologies such as Industry 4.0.

✓ 2. Micro, Small and Medium Enterprises (MSMEs) are facing challenges when it comes
to adopting new technologies such as Industry 4.0.

3. Micro, Small and Medium Enterprises (MSMEs) is facing challenges when it comes to adopting new technologies such as Industry 4.0.

\* 4. Micro, Small and Medium Enterprises (MSMEs) has faced challenges when it comes to adopting new technologies such as Industry 4.0.

Question ID: 63068049389

Status: Answered

Chosen Option: 2

Q.20 Of the four sentences given in the options, three form a meaningful paragraph. Identify the odd one out,

Ans X 1. This is simply related to the cost of production and transportation.

X 2. However, if we buy local produces, the burden can be lessened.

X 3. Surging prices of vegetables, fruits, dairy, etc. is a matter of concern.

√ 4. Organic food is in high demand as it ensures a positive effect on general health.

Question ID: 63068085919

Status: Answered

Chosen Option: 4

Section: General Intelligence or Reasoning

Q.1 Seven persons A, B, C, D, E, F and G are sitting around a circle for playing cards, facing towards the centre. C is sitting immediately to the left of G and D is sitting second to the left of C.B is sitting third to the right of A and F is sitting second to the left of A.

Who is sitting third to the right of C?

Ans X 1. F

X 2. D

X 3. B

√ 4. E

Question ID: 63068048427

Status: Answered

Chosen Option: 4

Q.2 Five girls are sitting in a row facing north. BHARTI is not adjacent to RANI or AMITA. KIRTI is not adjacent to RANI. BHARTI is adjacent to RAMA. RAMA is in the middle of the row. KIRTI is adjacent to whom out of the following?

Ans X 1. RANI

2. BHARTI

X 3. AMITA

X 4. RAMA

Question ID: 63068058151

Status: Answered

Q.3 This question is based on the following words. **WALK MINT TALL BARE** If the first letter of each word is removed, which of the following will form new meaningful English words?

Ans X 1, Bare and Walk



X 3. Mint and Bare

X 4. Tall and Mint

Question ID: 63068049329 Status: Answered

Chosen Option: 2

Q.4 Rahul is the nephew of Nilesh. Nilesh's mother is Rita. Sita is Rita's mother. Sita's husband is Arjun. Sushma is the mother-in-law of Arjun. How is Rahul related to Arjun?

Ans X 1. Rahul is Arjun's great grandson's son

2. Rahul is Arjun's great grandson

X 3. Rahul is Arjun's grandnephew

X 4. Rahul is Arjun's son

Question ID: 63068058815

Status: Answered

Q.5 In this question, two statements are followed by two conclusions, numbered I and II. Find out which conclusion(s) is/are true based on the given statements. Statements:  $R > S \ge T \ge W, W \ge U < M$ Conclusions: I. U < S II. S = U **Ans** 1. Either conclusion I or conclusion II is true. 2. Only conclusion I is true. X 3. Only conclusion II is true. X 4. Both conclusions I and II are true.

> Question ID: 63068048940 Status: Answered

Chosen Option: 1

Q.6 If '-' means '+', '÷' means 'x', 'x' means '÷', then what will be the value of the following expression? 13 – 10 ÷ 6 × 5

**Ans 1**. 25

**X** 2. 30

**X** 3. 90

**X** 4. 27

Question ID: 63068049074

Status: Answered

Q.7 Refer to the following letter, number, symbol series and answer the question that follows.

(Left) M 6 R Z  $\Omega$  B % 7 K & 4 D  $\pi$  S Q 2 @ 3  $\infty$  E (Right) Which of the given options is the seventh element to the right of B?



X 2. Q

**3.** π

X 4. S

Question ID: 63068049817

Status: Answered

Chosen Option: 3

Q.8 Select the combination of letters that when sequentially placed in the blanks of the given series will complete the series.

P\_O\_M \_V\_SR EF\_C \_ YW\_U L\_KJ\_

Ans X 1. NQUTDBVXMI

X 2. QPUTDXBVMI

X 4. OPUTBDXVMI

Question ID: 63068060469

Status: Answered

Q.9 This question has two statements followed by two conclusions numbered I and II. You have to take the given statements to be true even if they seem to be at variance from commonly known facts. You have to decide which conclusion/s logically follow/s from the given statements.

Statements:

Some pinks are rats.

All ears are rats.

Conclusions (I): Some rats are ears.

Conclusions (II): Some rats are pinks.

✓ 1. Both conclusions (I) and (II) follow.

2. Neither conclusion (I) nor (II) follows.

X 3. Only conclusion (II) follows.

X 4. Only conclusion (I) follows.

Question ID: 63068083926

Status: Answered

Chosen Option: 1

Q.10 A certain number of people are sitting in a row, facing North. G sits second to the left of S. T sits fourth to the right of R. Only three persons sit between R and Q. Only two persons sit between P and R. S sits third to the left of Q. If no other person is sitting in the row, what is the total number of persons seated?

Ans X 1. 15

**2**. 14

**X** 3. 16

**X** 4. 13

Question ID: 63068057379

Status: Answered

Q.11 Seven friends G, H, I, J, K, L and M are sitting around a circular table, facing away from the centre. J is sitting fourth to the left of G. K is sitting immediately to the left of J and immediately to the right of M. L and G are neighbours of H, who is sitting second to the left of M.

Who is sitting second to the left of K?

Ans X 1. H

X 2. J

√ 3. G

X 4. I

Question ID: 63068048430

Status: Answered

Chosen Option: 3

Q.12 Read the given information and answer the question(s) that follow(s). In a certain code language, 'Sit Stand Tall' is written as 'TEX OPT REF', 'Height Tall Dwarf' is written as 'DIS REF REA' and 'Dwarf Sit Weight is written as 'OPT DIS CON'. How will 'Sit' be written in that language?

Ans X 1. DIS

X 2. REF

X 3. TEX

✓ 4. OPT

Question ID: 63068059281

Status: Answered

Q.13 In a certain code language, 'FOUR' is coded as 7912 and 'FROM' is coded as 1287. What will be the code for 'M' in the given code language?

**X** 2.7

**3.8** 

**X** 4. 9

Question ID: 63068057808 Status: Answered

Chosen Option: 3

**Q.14** If – means +,  $\times$  means – ,  $\div$  means  $\times$ , + means  $\div$ , then what will be the value of the following expression?

$$48 \div \frac{1}{12} \times 28 + 7 = ?$$

**X** 2. 190

**X** 3. 188

**4.** 0

Question ID: 63068050687

Status: Answered

Q.15 Parth goes jogging 40 metres towards east from his house. He turns left and jogs for 20 metres. He then turns right and jogs for 30 metres and finally, turns southwards and jogs for another 20 metres and stops jogging. What is the shortest distance from his house to the point at which he stopped jogging?

Ans X 1, 60 metres

× 2. 20 metres

X 4. 100 metres

Question ID: 63068048492

Status: Answered

Chosen Option: 3

Section: General Aptitude or Numerical Ability

Q.1 In a frustum of a right circular cone, R = 5 cm, r = 3 cm, I = 6 cm. Calculate its curved surface area.

Ans

 $\times$  1. 96 $\pi$  cm<sup>2</sup>

 $\times$  2.  $56\pi$  cm<sup>2</sup>

√ 3. 48π cm<sup>2</sup>

 $\times$  4. 144 $\pi$  cm<sup>2</sup>

Question ID : 63068067773

Status : **Answered** 

Q.2 A book is listed at ₹1,200 and two successive discounts of 10% and 10% are given on it. How much would the seller gain or lose if he gives a single discount of 20% instead of two discounts?

Ans X 1. ₹11

**√** 2. ₹12

🗙 3. ₹24

**X** 4. ₹10

Question ID: 63068068483

Status: Answered

Chosen Option: 2

Q.3 To escape, a thief runs towards a gathering at a speed of 6 km/h and a policeman chases the thief at a speed of 10 km/h. The policeman is able to catch him just before he reaches the gathering. What is the distance between the policeman and the thief, if the thief is 1.5 km away from gathering?

Ans X 1. 1.5 km

💢 2. 0.75 km

X 3. 1.25 km

√ 4. 1 km

Question ID: 63068078036

Status: Answered

Q.4 In an NCC camp, there are food provisions for 500 cadets for 60 days. If 100 more persons join the NCC camp, for how many days will the provisions last?

**Ans** X 1. 46 days

2. 50 days

X 3. 48 days X 4. 44 days

Question ID: 63068056872

Status : Answered

Q.5 The sales of an item (in Thousands) in different days of a week is given.




What is the angle of Wednesday on the pie chart?

Ans

Question ID: 63068094975

Status : Answered



Q.9 The sales of an item (in Thousands) in different days of a week is given.



The angle difference of 2.13° is for \_\_\_\_\_ and \_\_\_\_.

Ans X 1. Tuesday, Monday

X 2. Friday, Saturday

3. Thursday, Friday

X 4.; Sunday, Saturday


Question ID : 63068094976

Status : Answered

Q.10 Pipe X can fill a tank 7 times faster in comparison to pipe Y. It takes 49 minutes for pipe X and Y to fill the tank together. How much time will pipe Y alone take to fill the tank? Ans X 1. 391 minutes 2. 392 minutes X 3, 393 minutes X 4. 390 minutes Question ID: 63068056908 Status: Answered Chosen Option: 2 Q.11 In an election, a candidate got 65% of the votes and won by a margin of 900 votes. Find the total number of votes. Ans X 1. 2500 **X** 2, 4000 X 3.3500 **4.** 3000 Question ID: 63068051615 Status: Answered Chosen Option: 4 Q.12 A sum of Rs.12,300 was taken as a loan. This is to be paid back in two equal annual instalments. If the rate of interest be 5% per annum, compounded annually, find the value of each instalment. **Ans** X 1. Rs.6,800 √ 2. Rs.6,615 X 3. Rs.6,850 X 4. Rs.6,720 Question ID: 63068070967 Status: Answered Chosen Option: 2

Q.13 A painter charges Rs.5 per sq. m. for painting any surface. Find the amount he will charge for painting a spherical ball of radius 10.5 m. × 2. ₹6,699 **X** 3. ₹7,161 **X** 4. ₹6,468 Question ID: 63068060105 Status: Answered Chosen Option: 1 Q.14 The marked price of a sofa was Rs.14,200. The shopkeeper was offering it for a discount of 25%, but on further bargaining agreed to offer a successive discount and finally sold the sofa for Rs.9,585. What was the second discount offered by him? Ans X 1. 18% X 2. 15% **3.** 10% X 4. 12% Question ID: 63068057567 Status: Answered Chosen Option: 3 Q.15 In a math test given to 14 students, marks out of 100 are recorded as 21, 38, 42, 56, 36, 48, 29, 44, 22, 32, 63, 64, 72, 74. Find the arithmetic mean. Ans X 1. 42.62 **2.** 45.78 **X** 3. 44.68 × 4. 49.55 Question ID: 63068061211 Status: Answered Chosen Option: 2

Section: General Knowledge or Awareness Q.1 To whom is the Dronacharya Award given in India? Ans X 1. Association 2. Coach X 3. Manager X 4. Player Question ID: 63068051052 Status: Answered Chosen Option: 2 Q.2 In which year was the Microfinance Institutions Network established? **1.** 2009 X 2. 2008 X 3. 2012 **X** 4. 2015 Question ID: 63068053623 Status: Answered Chosen Option: 4 Q.3 Who constructed the Nahargarh Fort in Jaipur? Ans X 1. Shivaji Maharaj 2. Sawai Jai Singh II X 3. Rao Jodha X 4. Maharaja Pratap Singh Question ID: 63068071477 Status: Answered



### Q.7 Which of the following is NOT a qualification for appointment as a Judge of the **Supreme Court?**

√ 1. He/she should have been a High Court judge for at least 10 years

X 2. He/she should be a citizen of India

X 3. He/she should have been an advocate of a High Court (or two or more such courts in succession) for at least 10 years

X 4. He/she should have been a High Court judge for at least 5 years

Question ID: 63068051149

Status: Answered

Chosen Option: 1

## Q.8 Who among the following was a force behind declaring Sati illegal?

Ans X 1. Lord Rippon

X 2. Lord Dalhousie

3. Lord William Bentinck

X 4. Lord Canning

Question ID: 63068052796

Status: Answered

Chosen Option: 3

#### Q.9 What is the extent of the catchment area of the minor river basins in India?

**Ans** X 1. 1500 – 2000 sq. km

2. Less than 2000 sq. km

X 3. 2000 – 4000 sq. km

X 4. 3000 - 4000 sq. km

Question ID: 63068068544

Status: Answered

### Q.10 What is the reason for the phenomenon called 'breaks' associated with monsoon?

Ans X 1. Stagnation of monsoon troughs

X 2. Disappearance of monsoon troughs

X 3. Stability of monsoon troughs

4. Movements of monsoon troughs

Question ID: 63068068548

Status: Marked For Review

Chosen Option: 2

# Section : Discipline related

Q.1 Suppose a uniform electric field is given as  $E = 4 \times 10^4 \hat{j}$  N/C ( $\hat{j}$  is unit vector along the y axis), then the flux of this field through a square of 20 cm on a side whose plane is parallel to the xz plane is:

Ans

$$\times$$
 1 160 N m<sup>2</sup>/C

$$\times$$
 2. 800 N m<sup>2</sup>/C

$$\times$$
 4. 80 N m<sup>2</sup>/C

Question ID : 630680100039

Status : Answered

Q.2 The number of turns in the primary and the secondary coils of a transformer are 800 and 24000, respectively. If the current in the secondary is 6.0 A, the current in the primary is:

- Ans X 1. 90 A
  - X 2. 120 A
  - X 3. 150 A
  - ✓ 4 180 A

Question ID: 630680100047

Status: Answered

Chosen Option: 4

The probability of drawing any one spade card is:

Ans

Question ID: 63068099957

Status : **Answered** 

Q.4 Find the minor and cofactor, respectively, for the element 2 in the matrix  $\Delta = \begin{pmatrix} 6 & 5 \\ 2 & 4 \end{pmatrix}$ .

Ans  $\times$  1.  $M_{21} = -5$ ,  $A_{21} = 5$ 

- $\checkmark$  2.  $M_{21} = 5, A_{21} = -5$
- $\times$  3.  $M_{21} = -5$ ,  $A_{21} = -5$
- $\times$  4.  $M_{21} = 5$ ,  $A_{21} = 5$

Question ID: 63068099964

Status: Answered

Chosen Option: 2

Q.5 Two coils A and B are arranged parallel to each other. When the current in coil B increases at the rate of 20 A/s and initial current in coil A is zero, the induced emf in coil A is 100 V. The mutual inductance of the two coils is:

Ans X 1. 6 H

- X 2. 4 H
- X 3. 7 H

Question ID: 630680100049

Status: Answered

Q.6	The angle between the lines	x-4	_ у _	z+1	x-1	_ y+1 _	z-2	iar
	The angle between the lines	2	- <del>-</del> -	-2	4	-4	2	15.

Ans

 $\times$  1.  $\frac{\pi}{3}$ 

- **√** 2.  $\frac{1}{2}$
- $\times$  3.  $\frac{\pi}{6}$
- $\times$  4.  $\frac{\pi}{4}$

Question ID: 63068099926

Status: Answered

Chosen Option: 2

**Q.7** Let R be the set of all real numbers and a function  $f: R \to R$  be defined by f(x) = ax + b, where a, b are constants and  $a \ne 0$ . Is f invertible? If it is so, find the inverse of f.

Ans

- ✓ 1. Inverse of f exists and  $f^{-1}(x) = \frac{x-b}{a}$
- $\times$  2. f is one-to-one but not onto
- $\times$  3. Inverse of f does not exist
- $\times$  4. f is onto but not one-to-one

Question ID: 63068099884

Status: Answered

Q.8 Find the length of the vector represented by the directed line segment with initial point P(2, -3, 4) and terminal point Q(-2,1,1).

Ans 
$$\times$$
 1.  $\sqrt{32}$ 

$$\times$$
 3.  $\sqrt{43}$ 

Question ID: 63068099899

Status: Answered

Chosen Option: 2

Q.9

Evaluate 
$$\begin{vmatrix} 3 & 6 & 9 \\ 4 & 8 & 12 \\ 5 & 7 & 4 \end{vmatrix}$$
.

Question ID: 63068099939

Status : **Answered** 

Q.10 Suppose that X is a continuous random variable with probability density function given by:

$$f(x) = \begin{cases} \frac{x}{8}, & x \in [0,2) \\ \frac{1}{4}, & x \in [2,4) \\ -\frac{x}{8} + \frac{3}{4}, & x \in [4,6) \end{cases}$$

Find the mean of X.

- Ans × 1. 4

  - **√** 4. 3

Question ID: 63068099930

Status : **Answered** 

Chosen Option: 3

Q.11 Two batteries, E<sub>1</sub> (emf: 3 V, internal resistance: 0.5 Ω) and E<sub>2</sub> (emf: 6 V, internal resistance: 1.0 Ω), are connected in series by connecting the positive terminal of E2 to the negative terminal of E1. A third battery E3 (emf: 6 V, internal resistance:  $1.0 \Omega$ ) is connected in parallel with this combination by connecting its positive terminal to the positive terminal of E1 and its negative terminal to the negative terminal E2. The equivalent emf of this combination is:

- Ans X 1. 3.6 V
  - √ 2. 7.2 V
  - X 3. 6.0 V
  - × 4. 4.8 V

Question ID: 630680100013

Status: Answered

**Q.12** What is the identity used to verify the vectors  $\bar{a} = (1, 4, -7), \bar{b} = (2, -1, 4)$  and  $\bar{c} = (0, -9, 18)$  are coplanar?

$$\checkmark$$
 1.  $\bar{a} \cdot (\bar{b} \times \bar{c})$ 

$$\times$$
 2.  $\bar{a} \cdot (\bar{b} \cdot \bar{c})$ 

$$imes$$
 3.  $\bar{a} imes (\bar{b} \cdot \bar{c})$ 

$$\times$$
 4.  $\bar{a} \times (\bar{b} \times \bar{c})$ 

Question ID: 63068099901

Status: Answered

Chosen Option: 4

Q.13 A nucleus has an atomic number 64. Considering the nucleus as a liquid -drop, its radius will be close to

 $(R_0 = 1.2 \text{ fm})$ :

× 2. 2.4 fm

× 3. 19.2 fm

√ 4. 4.8 fm

Question ID: 630680100003

Status: Answered

Q.14 An object that is 2.0 cm in height is placed at a distance of 24.0 cm in front of a concave mirror of focal length 16.0 cm. Following New Cartesian Sign Convention, the image is formed at v is \_\_\_\_\_ and its height  $h_i$  is \_\_\_\_\_.

Ans X 1. 48 cm, 4.0 cm

× 2. −9.6 cm, −0.8 cm

× 3. 9.6 cm, 0.8 cm

√ 4. −48 cm, −4.0 cm

Question ID: 63068099997

Status: Answered

Chosen Option: 4

Q.15 When Si is doped with \_\_\_\_\_ an n-type semiconductor is formed.

Ans

1. phosphorous

X 2. boron

× 3. aluminium

× 4. indium

Question ID: 63068099998

Status: Answered

Q.16 A cricket club has 15 members, of whom only 5 can bowl. What is the probability that in a team of 11 members at least three bowlers are selected?

Ans

- $\times$  2.  $\frac{85}{90}$

- Question ID: 63068099905
  - Status: Answered
- Chosen Option: 2
- Q.17 A parallel plate capacitor with circular plates of radius 1 m has a capacitance of 1 nF. At t = 0, it is connected for charging in series with a resistor  $R = 1~M\Omega$  across a 2 V battery. Then the electric field at a point P, halfway between the centre and the periphery of the plates, after  $t = 10^{-3}$  s is.

- Ans X 1. 4.54 V/m
  - × 2. 0.45 V/m
  - × 3. 454.24 V/m
  - ✓ 4. 45.42 V/m

Question ID: 630680100072

Status: Answered

Q.18 Let A be the set  $\{1, 2, 3, 4\}$ . Which ordered pairs are in the relation  $R = \{(a, b); a \text{ divides } b\}$ ?

Ans

- × 1. {(1,1),(1,2),(1,3),(1,4),(2,3),(2,4),(3,3),(4,4)}
- $\times$  2. {(1,1), (1,2), (1,3), (1,4), (2,2), (2,3), (3,1), (4,4)}
- **✓** 3. {(1,1),(1,2),(1,3),(1,4),(2,2),(2,4),(3,3),(4,4)}
- × 4. {(1,1),(1,2),(1,3),(1,4),(2,2),(2,3),(3,3),(4,4)}

Question ID: 63068099882

Status: Answered

Chosen Option: 3

Q.19 The ratio of the longest wavelength to the shortest wavelength ( $\frac{\lambda_L}{\lambda_S}$ ) in Paschen series of hydrogen spectrum is:

Ans

- $\times$  1.  $\frac{14}{7}$
- × 2.  $\frac{8}{7}$
- $\times$  3.  $\frac{12}{7}$
- $\checkmark$  4.  $\frac{16}{7}$

Question ID: 630680100005

Status: Answered

Q.20 Find all values of x in the interval  $[0,2\pi]$  such that sinx = sin2x?

Ans X 1. 3

**√** 2. 5

**X** 3. 4

×4. 2

Question ID: 63068099886

Status : Answered

Chosen Option: 4

Q.21 Find mid point of (4, 3, 6) and (6, 5, 12).

Ans  $\times$  1. (4,4,9)

× 2. (5,4,3)

**√** 3. (5,4,9)

× 4. (5,3,9)

Question ID: 63068099980

Status : **Answered** 

Q.22 Consider two coaxial cylinders of same length L, with vacuum inside them. The radii of the inner solenoid and the outer solenoid are  $r_1$  and  $r_2$  ( $> r_1$ ), respectively. The number of turns per unit length are  $n_1$  and  $n_2$  for the inner solenoid and the outer solenoid, respectively. Their mutual inductance is:

Ans

× 1. 
$$\pi$$
 μ<sub>0</sub> n<sub>1</sub> n<sub>2</sub>  $r_2^2$  L

$$\checkmark$$
 2.  $\pi \mu_0 n_1 n_2 r_1^2 L$ 

$$\times$$
 3.  $4\pi \mu_0 n_1 n_2 r_1^2 L$ 

$$\times$$
 4.  $4\pi \mu_0 n_1 n_2 r_2^2 L$ 

Question ID: 630680100000

Status: Answered

Chosen Option: 2

Q.23 Which of the following statements is/are correct?

- (a) Microwaves are produced by klystron valves.
- (b) Radio waves are produced by inner shell electrons when they move from one energy level to a lower energy level.

Ans

- X 1 Both (a) and (b)
- × 2. Only (b)
- X 3. Neither (a) nor (b)
- ✓ 4. Only (a)

Question ID: 630680100019

Status : Answered

Q.24 A plane electromagnetic wave travels in vacuum along z-direction. Then which of the following statements is true for the electric and magnetic field vector?



The electric field (E) and magnetic field (H) lie in the y-z plane and they are mutually perpendicular.



The electric field (E) and magnetic field (H) lie in the x-z plane and they are mutually perpendicular.



The electric field (E) and magnetic field (H) lie in the x-y plane and they are mutually perpendicular.



The electric field (E) and magnetic field (H) lie in the x-z plane and they are parallel to each other.

Question ID: 630680100074

Status: Answered

Q.25 Consider the following relations on the set  $\{1, 2, 3, 4\}$ :

$$R_1 = \{(1,1), (1,2), (1,4), (2,1), (2,2), (3,3), (4,1), (4,4)\}$$

$$R_2 = \{(2,1), (3,1), (3,2), (4,1), (4,2), (4,3)\}$$

$$R_3 = \{(1,1), (1,2), (1,3), (1,4), (2,2), (2,3), (2,4), (3,3), (3,4), (4,4)\}$$

$$R_4 = \{(1,1), (1,2), (2,1), (2,2), (3,4), (4,1), (4,4)\}$$

Which of these relations are reflexive and transitive but NOT symmetric?

Ans

- $\times$  1.  $R_1, R_3$
- $\times$  2.  $R_2$  ,  $R_4$
- × 3. R<sub>2</sub>
- √ 4. R<sub>3</sub>

Question ID: 63068099883

Status : Answered

- Q.26 Find the angle between the lines  $\frac{x-3}{1} = \frac{y-2}{2} = \frac{z+1}{2}$  and  $\frac{x-0}{3} = \frac{y-5}{2} = \frac{z-2}{6}$ .
- Ans
- $\times$  1.  $cos^{-1}\left(\frac{19}{25}\right)$
- $\times$  2.  $cos^{-1}\left(\frac{17}{21}\right)$
- $\times$  3.  $cos^{-1}\left(\frac{23}{27}\right)$
- $\checkmark$  4.  $cos^{-1}\left(\frac{19}{21}\right)$

- Question ID: 63068099903
  - Status: Answered
- Chosen Option: 4
- **Q.27** A long straight conductor carries a current of 5 A. The magnitude of the magnetic field at a point 20 cm from the conductor is:
- Ans
- √ 1. 5 μT
- × 2. 20 μT
- × 3. 10 μT
- × 4. 15 μT

- Question ID: 630680100044
  - Status: Answered
- Chosen Option : 1

If 
$$f(x) = \frac{1-x}{2+x}$$
, then find  $f'(x)$ .

Ans

$$\times$$
 1.  $\frac{2}{(3+x)^2}$ 

$$\checkmark$$
 2.  $\frac{-3}{(2+x)^2}$ 

$$\times$$
 3.  $\frac{1}{(x-2)^2}$ 

$$\times$$
 4.  $\frac{1}{(2+x)^2}$ 

Question ID: 63068099893

Status: Answered

Chosen Option: 2

Q.29 A parallel plate capacitor with plate area A and plate separation d, with vacuum between the plates has a capacitance Co. The space between the plates is filled with two slabs of the same area but thicknesses (d/4) and (3d/4) made of material of dielectric constant 2 and 4, respectively. The capacitance of the capacitor is now:

$$\times$$
 1.  $(\frac{12}{5})$  C<sub>0</sub>

× 2. 
$$(\frac{6}{5}) C_0$$
× 3.  $(\frac{8}{5}) C_0$ 

• 4.  $(\frac{16}{5}) C_0$ 

$$\times$$
 3.  $(\frac{8}{5})$  C<sub>0</sub>

Question ID: 63068099983

Status: Answered

Q.30 Which of the following statements is/are correct for a p-n junction diode?

- (a) During forward bias, the width of depletion region decreases and the barrier height is reduced.
- (b) During reverse bias, the width of depletion region increases and the barrier height increases.

Ans

- ✓ 1. Both (a) and (b)
- × 2. Only (b)
- X 3. Neither (a) nor (b)
- × 4. Only (a)

Question ID: 63068099999

Status: Answered

Chosen Option: 1

**Q.31** Find the area bounded by the curve  $y = x^2 + x + 4$ , the x-axis and the ordinates x = 1 and x = 3.

Ans

- X 1 61/3 units
- × 2. 46 units
- X 4. 65/3 units

Question ID: 63068099972

Status : Answered

Q.32 A square sheet of side 5.0 cm is placed in an electric field  $\mathbf{E} = (1.6 \times 10^4 \frac{N}{c}) \mathbf{i}$  such that the normal unit vector for the sheet is  $[(\frac{\sqrt{3}}{2}) \mathbf{i} + (\frac{1}{2}) \mathbf{j}]$ . The electric flux through the sheet is:

Ans  $\times$  1. 40 N m<sup>2</sup>/C

 $\checkmark$  2. 34.6 N m<sup>2</sup>/C

 $\times$  3. 20 N m<sup>2</sup>/C

× 4. 17.3 N m<sup>2</sup>/C

Question ID: 630680100008

Status: Answered

Chosen Option: 2

What is the area of the triangle with vertices (3,-2), (4,0), (0,-4)?

Ans X 1. 4

√ 2. 2

× 3. 16

× 4. 24

Question ID: 63068099940

Status : **Answered** 

Q.34 Find the magnitude of the shortest distance between the lines 
$$\frac{x-0}{2} = \frac{y-0}{-3} = \frac{z-0}{1}$$
 and  $\frac{x-2}{3} = \frac{y-1}{-5} = \frac{z+2}{2}$ .

$$\checkmark$$
 1.  $\frac{1}{\sqrt{3}}$ 

$$\times$$
 2.  $\frac{2}{\sqrt{3}}$ 

$$imes$$
 3.  $\frac{1}{\sqrt{5}}$ 

$$\times$$
 4.  $\frac{1}{\sqrt{7}}$ 

Question ID: 63068099927

Status: Answered

Chosen Option: 1

Q.35 The total energy released if 47 g of  $^{235}$ U undergoes fission (disintegration energy per event, Q = 200 MeV, Avogadro's number =  $6.02 \times 10^{23}$  nuclei/mol) is close to:

Ans 
$$\times$$
 1. 2.42  $\times$  10<sup>12</sup> J

$$\checkmark$$
 2. 3.85 × 10<sup>12</sup> J

$$\times$$
 3. 1.92  $\times$  10<sup>11</sup> J

$$\times$$
 4. 7.70 × 10<sup>14</sup> J

Question ID: 630680100033

Status: Answered

**Q.36** Consider the set  $G = \{a + b\sqrt{2} : a, b \in Q, \text{ the set of all rational numbers}\}$  with respect to binary operation usual addition. Which condition fails for G?

Ans X 1. Inverse property

× 2. Identity element

× 3. Associativity property

4. Non-commutativity property

Question ID: 63068099885

Status : **Answered** 

Chosen Option : 2

Q.37 The value of  $7\pi/6$  into degrees should be:

Ans

√ 1. 210°

× 2. 135°

× 3. 155°

× 4. 230°

Question ID: 63068099936

Status : **Answered** 

Q.38 If  $x^4 + y^4 = 16$ , then find the second derivative of y.

$$\times$$
 1.  $y'' = \frac{32x^2}{y^5}$ 

$$\checkmark 2. y'' = \frac{-48 x^2}{y^7}$$

$$\times$$
 3.  $y'' = \frac{-24 x^2}{y^7}$ 

× 1. 
$$y'' = \frac{32x^2}{y^5}$$

2.  $y'' = \frac{-48x^2}{y^7}$ 

× 3.  $y'' = \frac{-24x^2}{y^7}$ 

× 4.  $y'' = \frac{-48x^3}{y^5}$ 

Question ID: 63068099894

Status: Answered

Chosen Option: 2

Find the first derivative of  $e^{x \ln a} + e^{a \ln x} + e^{a \ln a}$ .

Ans 
$$\times 1. \ a^{x} + ax^{x-1} + a^{a}$$

$$\times$$
 2.  $a^{x} \ln a + ax^{x-1} + a^{a}$ 

$$\sqrt{3}$$
  $a^{x} \ln a + ax^{a-1}$ 

$$\times$$
 4.  $a^{x} + ax^{x-1}$ 

Question ID: 63068099918

Status: Answered

**Q.40** Suppose to obtain a diffraction pattern one student uses a violet coloured beam of light. If the student replaces violet light by green light then:

Ans X 1. no diffraction is observed

× 2. diffraction pattern remains same

× 4. diffraction fringes become narrower and crowded

Question ID: 630680100077

Status: Answered

Chosen Option: 3

**Q.41** A battery with an internal resistance of 2  $\Omega$  and an emf of 4.0 V is connected in series to a load resistance and the terminal voltage falls to 3.8 V. What current is flowing in the circuit, and what is the value of the load resistance?

Ans  $\times$  1. 0.01 A, 280  $\Omega$ 

√ 2. 0.1 A, 38 Ω

× 3. 0.01 A, 380 Ω

× 4. 0.1 A, 28 Ω

Question ID: 630680100041

Status : Answered

**Q.42** Let  $\theta$  and  $\phi$  be an acute angle such that  $\sin \theta = \frac{1}{\sqrt{2}}$  and  $\cos \phi = \frac{1}{3}$ , the value of  $\theta + \phi$  is:

$$\times$$
 1.  $\left(\frac{5\pi}{12}, \frac{3\pi}{4}\right)$ 

$$\checkmark$$
 2.  $\left(\frac{7\pi}{12}, \frac{3\pi}{4}\right)$ 

$$\times$$
 3.  $\left(\frac{\pi}{6}, \frac{\pi}{2}\right)$ 

$$\times$$
 4.  $\left(\frac{\pi}{3}, \frac{\pi}{2}\right)$ 

Question ID: 63068099911

Status: Answered

Chosen Option: 2

Q.43 A charge Q<sub>1</sub> of 3.0 μC is placed at point (36 cm, 0) and another charge Q<sub>2</sub> of 9.0 μC is placed at a point (0, -27 cm). Let i and j be the unit vectors in x- and y- directions, respectively. The force exerted by  $Q_2$  on  $Q_1$  is:

Ans 
$$\times$$
 1.  $-(0.96 \text{ N}) \text{ i} -(0.72 \text{ N}) \text{ j}$ 

$$\times$$
 2.  $-(0.96 \text{ N}) \text{ i} + (0.72 \text{ N}) \text{ j}$ 

Question ID: 630680100037

Status: Answered

Q.44 Which of the following is the correct value of tan 10°.tan 20°.tan 60°.tan 70°.tan 80°?

Ans X 1. -1

**X** 2. 1

**√** 3. √3

 $\times$  4.  $1/\sqrt{3}$ 

Question ID: 63068099962

Status: Answered

Chosen Option: 3

Evaluate  $\int x(x^2-7)^{15}dx$ .

Ans  $\times$  1.  $(\chi^2 - 7)^{16} + C$ 

 $\times$  2.  $(x^3 + 7)^{15} + C$ 

 $\checkmark$  3.  $\frac{1}{32}(x^2-7)^{16}+C$ 

 $\times$  4.  $(x^3-7)^{15}+C$ 

Question ID: 63068099946

Status: Answered

**Q.46** Find a vector perpendicular to the plane that passes through the points P(1,4,6), Q(-2,5,-1) and R(1,-1,1).

Ans

- **×** 2. (7,4,−2)
- **×** 3. (40,−15,15)
- ×4. (-40, -18, 15)

Question ID: 63068099900

Status: Answered

Chosen Option : 4

**Q.47** A set of linear equations is represented by the matrix equation Ax=b. The necessary condition for the existence of a solution for this system is:

Ans

- ✓ 1. A must be invertible
- × 2. Det(A)=0
- × 3. b must be linearly dependent on the columns of A
- × 4. b must be linearly independent of the columns of A

Question ID: 63068099966

Status: Answered

Find  $\lim_{x \to \frac{\pi}{4}} \frac{\cot^2 x - \tan x}{\cos(x + \frac{\pi}{4})}$ .

- Ans  $\times$  1.  $4\sqrt{2}$ 

  - × 2. 4 × 3. √2
  - **4.** 8

Question ID: 63068099916

Status: Answered

Chosen Option: 1

**Q.49** Let N and  $N_0$  be the number of radioactive nuclei in a sample at time t and at time t = 0, respectively. Then the ratio

 $(\frac{N}{N_0})$  is equal to \_\_\_\_\_ where  $\lambda$  is the disintegration constant or decay constant.

- Ans  $\times$  1.  $e^{-(2\lambda)t}$ 

  - $\stackrel{\checkmark}{\sim} 2. \ e^{-(\lambda)t}$   $\stackrel{\times}{\sim} 3. \ e^{-(\frac{\lambda}{2})t}$   $\stackrel{\times}{\sim} 4. \ e^{-(\frac{\lambda}{4})t}$

Question ID: 630680100031

Status: Answered

Q.50 
$$\frac{d}{dx} \int_2^x lnt dt = ?$$

$$\times$$
 1.  $\frac{1}{2}$ 

$$\times$$
 3.  $\frac{1}{x}$ 

Question ID: 63068099970

Status: Answered

Chosen Option: 3

**Q.51** A battery of EMF 6.0 V and internal resistance 1.0  $\Omega$  is connected to a resistor of 11  $\Omega$ . The terminal potential difference for the battery is:

Question ID: 63068099986

Status: Answered

Q.52 A circular coil of radius 0.50 m and 100 turns, carrying a current of 80 mA, is placed such that the normal to its plane makes an angle of 30° with a uniform magnetic field of 4.0 T. The magnitude of torque acting on the coil is:

Ans  $\checkmark$  1.  $4\pi$  N m

 $\times$  2.  $6\pi$  N m

 $\times$  3.  $2\pi$  N m

× 4. 8π N m

Question ID: 63068099989

Status: Answered

Chosen Option: 2

 $\int dx/x = \log |(x)| \text{ is not possible when:}$ 

Ans

√ 1 x=0

× 2. x=1

**×** 3. **x=-2** 

**×** 4. <sub>X</sub>=−1

Question ID: 63068099947

Status: Answered

Q.54 Rutherford scattering experiment is based on:

× 2. beta particle scattering from gold foil

★ 3. beta particle scattering from Zn foil

× 4. gamma rays from aluminium foil

Question ID: 630680100084

Status: Answered

Chosen Option: 1

Q.55 An object is placed on the axis of a convex mirror at a point near its pole. Its image formed by the mirror is

× 1 virtual and inverted

× 2. real and inverted

× 3. real and erect

✓ 4. virtual and erect

Question ID: 630680100021

Status: Answered

Q.56 Consider two wires, AB and CD, of lengths 2L and L and radius r and 2r, respectively. AB and CD are made of material of resistivity  $\rho$  and  $2\rho$ , respectively. The wires are connected in parallel to a battery of EMF E of negligible internal resistance. The ratio of currents through AB and CD,  $(I_{AB}/I_{CD})$  is:

Ans X 1. 2

× 2. 4

Question ID: 630680100014

Status: Answered

Chosen Option: 3

Q.57 Suppose that an alpha particle of 3.20 MeV approaches head-on a lead nucleus (Z=82). Assuming that the lead nucleus remains at rest and the alpha particle momentarily comes to rest and reverses its direction at a distance much more than the radius of the lead nucleus, the distance of its closest approach is:

Ans × 1. 24.6 fm

× 2. 36.9 fm

× 3. 59.2 fm

Question ID: 630680100035

Status: Answered

Q.58 In a single slit diffraction experiment, a light of wavelength 500 nm is used and the second minimum is observed at an angle of 45°. The width of the slit is:

Ans

√ 1. 1.414 μm

× 2. 2.414 μm

× 3. 0.623 μm

× 4. 1.142 μm

Question ID: 630680100078

Status: Answered

Chosen Option: 2

**Q.59** The magnetic field in a plane electromagnetic wave is given by  $B_y = 0.2 \mu T \sin(8\pi \times 10^2 z + 6\pi \times 10^{11} t)$ . Then the electric field of the wave is:

Ans

$$\times$$
 1.  $E_y = 60 \text{ V/m sin} (8 \pi \times 10^2 \text{ z} + 6 \pi \times 10^{11} \text{t})$ 

$$\times$$
 2.  $E_y = 6 \text{ V/m sin} (8 \pi \times 10^2 \text{ z} + 6 \pi \times 10^{11} \text{t})$ 

$$\checkmark$$
 3. E<sub>x</sub> = 60 V/m sin (8 π×10<sup>2</sup> z + 6 π×10<sup>11</sup>t)

$$\times$$
 4.  $E_x = 6 \text{ V/m} \sin(8\pi \times 10^2 \text{ z} + 6\pi \times 10^{11} \text{t})$ 

Question ID : 630680100075

Status : Answered

**Q.60** A 2.0 cm segment of a wire, centred at the origin (0,0,0) lies along X-axis. It carries a current of 4.0 A in positive X-direction. The magnetic field due to this segment at a point (0, 4.0 m, 0) is  $\left[\left(\frac{\mu_0}{4\pi}\right) = 10^{-7} \text{ Tm/A}$ , and i, j and k are unit vectors along X-axis, Y-axis and Z-axis, respectively]:

Ans

$$\times$$
 1. (2.5 × 10<sup>-10</sup> T) k

$$\times$$
 2.  $-(5.0 \times 10^{-10} \text{ T}) \text{ k}$ 

$$\checkmark$$
 3. (5.0 × 10<sup>-10</sup> T) k

$$\times$$
 4.  $-(2.5 \times 10^{-10} \,\mathrm{T}) \,\mathrm{k}$ 

Question ID: 63068099991

Status: Answered