


### Sample Paper-01

# Class 11th NEET (2024)

## **ZOOLOGY**

### **SECTION-A**

1. The figures given below show the types of coelom, identify them and select the **correct** group of organisms which possess them.



	(a)	(b)	(c)
(1)	Annelids	Aschelminthes	Platyhelminthes
(2)	Molluscs	Arthropods	Platyhelminthes
(3)	Echinoderms	Aschelminthes	Annelids
(4)	Echinoderms	Arthropods	Platyhelminthes

- **2.** Which of the following is **correct** about metamerism (true segmentation)?
  - (1) Every organ shows serial repetition.
  - (2) Body is divided externally as well as internally.
  - (3) Each segment is not supplied with separate nerves and blood vessels.
  - (4) All of these.
- **3.** Which of the following is a characteristic feature of Echinodermata?
  - (1) Smooth skin and radial symmetry
  - (2) Spiny skin and radial symmetry
  - (3) Spiny skin and bilateral symmetry
  - (4) Smooth skin and bilateral symmetry
- **4.** Which of the following animals is cold blooded and has a four-chambered heart?
  - (1) *Rana*
  - (2) *Ornithorhynchus*
  - (3) Crocodile
  - (4) Scoliodon
- **5.** Point out the mammalian characters.
  - (1) Diaphragm, four chambered heart, lungs
  - (2) Hairy skin, viviparity, feathers
  - (3) Fins, gills, viviparity
  - (4) Neural gland, gills, four chambered heart


- **6.** Which of the following statements is **false** about the glands?
  - (1) Goblet cells secrete mucus.
  - (2) Exocrine glands possess duct for secretion of mucus, milk, saliva, earwax, digestive enzymes, oil and other cell products.
  - (3) Glandular epithelium consists of specialised columnar or cuboidal cells.
  - (4) Endocrine glands secrete a variety of enzymes only.
- 7. Which of the following is **incorrect** with respect to junction and its function?

	9				
	(1)	Tight junction	Promotes leaking of		
			substances across a tissue		
	(2)	Adhering	Keeps neighbouring cells		
		junction	together		
	(3)	Gap junction	Connects the cytoplasm		
			of adjoining cells for		
			rapid transfer of ions and		
)			small molecules		
	(4)	Gap junction	Facilitates the cells to		
		V 200 //	communicate with each		
			other		
		Annual Annual Control	1		

- **8.** Cartilage is present at :
  - (a) tip of nose.
  - (b) between adjacent bones of the vertebral column.
  - (c) outer ear joints.
  - (1) (a) and (b)
  - (2) (b) and (c)
  - (3) (a) and (c)
  - (4) (a), (b) and (c)
- **9.** Mark the **mismatched** pair.
  - (1) Toxins Ricin
  - (2) Alkaloids Codeine
  - (3) Drugs Vinblastine
  - (4) Lectin -Curcumin



- **10.** In a protein, amino acids are linked by a peptide bonds, which is formed by the reaction of :
  - (1) -COOH group of one amino acid with -NH<sub>2</sub> group of next amino acid.
  - (2) -NH<sub>3</sub> group of one amino acid with -COOH group of next amino acid.
  - (3) -COOH groups of two amino acids.
  - (4) -NH<sub>2</sub> groups of two amino acids.
- 11. Lipids belong to which of the following groups?
  - (1) Amino proteins
  - (2) Macromolecules
  - (3) Secondary metabolites
  - (4) Metabolic by-products
- **12.** The curve given belong show enzymatic activity with relation to three conditions (pH, temperature and substrate concentration)



*x*-axis

What do the two axes (x and y) represent?

#### X-axis

### Y-axis

- (1) Enzymatic activity Temperature
- (2) Enzymatic activity pH
- (3) Temperature Enzymatic activity
- (4) Substrate concentration Enzymatic activity
- **13.** Which one of the following organisms bears hollow and pneumatic long bones?
  - (1) Ornithorhynchus
  - (2) Neophron
  - (3) Hemidactylus
  - (4) Macropus
- **14.** Which of the following statements **wrongly** represents the nature of smooth muscle?
  - (1) These muscles are present in the wall of blood vessels.
  - (2) These muscle have no striations.
  - (3) They are involuntary muscles.
  - (4) Communication among the cells is performed by intercalated discs.

**15.** Match **List-I** with **List-II** and choose the **correct** option :

	List - I		List - II
(A)	Protein	(I)	C = C double bonds
(B)	Unsaturated fatty acid	(II)	Phosphodiest er bonds
(C)	Nucleic acid	(III)	Glycosidic bonds
(D)	Polysaccharide	(IV)	Peptide bonds

- (1) (A)-(II), (B)-(I), (C)-(IV), (D)-(III)
- (2) (A)-(IV), (B)-(III), (C)-(I), (D)-(II)
- (3) (A)-(IV), (B)-(I), (C)-(II), (D)-(III)
- (4) (A)-(I), (B)-(IV), (C)-(III), (D)-(II)
- **16.** During forced expiration, actively contracting muscles include:
  - (1) Diaphragm.
  - (2) External intercostals.
  - (3) Internal intercostal and abdominal muscles.
  - (4) Diaphragm and intestinal muscle.
- **17.** Each cerebral hemisphere is divided into\_\_\_\_\_lobes by sulci.
  - (1) 3
  - (2) 4
  - (3) 5
  - (4) 6
- **18.** The cerebrum wraps around a structure called thalamus, which is;
  - (1) a major coordinating centre for sensory signal only.
  - (2) a major centre for motor signalling.
  - (3) a major coordinating centre for sensory and motor signalling.
  - (4) interconnects different regions of the brain.



- **19.** Select the **true** statement about RBC.
  - (1) RBCs have an average life span of 120 days.
  - (2) RBCs are destroyed in the spleen (graveyard of RBCs).
  - (3) RBCs are devoid of nucleus in most of the mammals.
  - (4) All of these.
- **20.** Blood differs from real connective tissue because;
  - (1) Plasma of blood is not entirely secreted by blood cells.
  - (2) Blood corpuscles are not formed in blood.
  - (3) Fibres are absent in blood.
  - (4) All of these.
- **21.** Mammals are said to have double circulation. It means;
  - (1) blood vessels are paired.
  - (2) there are two types of blood vessels attached to every organ.
  - (3) there are two systems, one from the heart to the lungs and other from heart to the rest of the body.
  - (4) blood circulates once through heart.
- **22.** Hormone renin is produced from which part of kidney?
  - (1) Proximal convoluted tubule (PCT)
  - (2) Distal convoluted tubule (DCT)
  - (3) Juxtaglomerular apparatus (JGA)
  - (4) Renal Pyramids
- **23.** Following are the points of mechanism of juxta glomerular apparatus (JGA). Arrange them in the **correct** order.
  - (a) Activation of juxta glomerular (JG) cells.
  - (b) Activated JG cells release renin.
  - (c) Fall in glomerular filtration rate (GFR).
  - (d) Increase of glomerular blood flow.
  - (e) GFR back to normal.
  - (1) (e)  $\rightarrow$  (a)  $\rightarrow$  (d)  $\rightarrow$  (c)  $\rightarrow$  (b)
  - $(2) (c) \rightarrow (a) \rightarrow (b) \rightarrow (d) \rightarrow (e)$
  - (3) (a)  $\rightarrow$  (b)  $\rightarrow$  (c)  $\rightarrow$  (d)  $\rightarrow$  (e)
  - $(4) (c) \rightarrow (a) \rightarrow (d) \rightarrow (b) \rightarrow (e)$

- **24.** The effect of antidiuretic hormone (ADH) on the kidney is to increase the;
  - (1) Excretion of water.
  - (2) Excretion of Na<sup>+</sup>.
  - (3) Permeability of the distal nephron to water.
  - (4) Glomerular filtration rate.
- **25.** Binding of Ca<sup>2+</sup> with\_\_\_\_ in skeletal muscles and leads to the exposure of the binding site for\_\_\_\_ on the filament\_\_\_\_.
  - (1) Troponin; myosin; actin
  - (2) Troponin; actin; relaxin
  - (3) Actin; myosin; troponin
  - (4) Tropomyosin; myosin; actin
- **26.** Smooth muscle fibres are;
  - (1) cylindrical, unbranched, striated, multinucleate and voluntary.
  - (2) spindle-shaped, unbranched, non-striated, uninucleate and involuntary.
  - (3) cylindrical, unbranched, non-striated, multinucleate and involuntary.
  - (4) spindle-shaped, unbranched, striated, uninucleate and voluntary.
- **27.** Which of the following statements is **false**?
  - (1) Scapula has the spine which projects as acromion process.
  - (2) Below acromion process is a glenoid cavity.
  - (3) Each clavicle (collar bone) articulates with acromion.
  - (4) Clavicle is long S-shaped bone with 4 curvatures.
- 28. Nodes of Ranvier are;
  - (1) areas of swellings of axon.
  - (2) found in the wall of stomach.
  - (3) the gaps between two adjacent myelin sheath.
  - (4) bands in striated muscles.
- **29.**  $Na^+ K^+$  pump:
  - (a) Needs energy (ATP) to work.
  - (b) Expels 3Na<sup>+</sup> for every 2K<sup>+</sup> ions imported.
  - (c) Works against a concentration gradient.
  - (d) Maintains resting potential.
  - (1) Only (c)
  - (2) Only (b) and (c) are correct
  - (3) Only (a) and (c) are correct
  - (4) All of these



- **30.** PNS is divided into:
  - (1) Somatic neural system
  - (2) autonomic neural system
  - (3) Central nervous system
  - (4) Both (1) and (2)
- **31. Assertion (A):** Resting membrane potential is -70mV.

**Reason (R):** Na<sup>+</sup>- K<sup>+</sup> pump plays an important role in maintaining resting membrane potential.

- (1) Both **Assertion** (**A**) and **Reason** (**R**) are the true, and **Reason** (**R**) is a correct explanation of **Assertion** (**A**).
- (2) Both **Assertion** (**A**) and **Reason** (**R**) are the true, but **Reason** (**R**) is not a correct explanation of **Assertion** (**A**).
- (3) **Assertion (A)** is true, and **Reason (R)** is false.
- (4) **Assertion (A)** is false, and **Reason (R)** is true.
- **32.** Match **List-I** with **List-II** and choose the **correct** option:

List - I		List - II	
(A)	PRL	(I)	Gonadotropins
(B)	TSH	(II)	Glucocorticoids
(C)	ACTH	(III)	Thyroid hormone
(D)	LH and FSH	(IV)	Mammary glands

- $(1)\,(A) \,{\rightarrow}\,\, (I); (B) \,{\rightarrow}\,\, (II); (C) \,{\rightarrow}\,\, (III); (D) \,{\rightarrow}\,\, (IV)$
- (2) (A)  $\rightarrow$  (II); (B)  $\rightarrow$  (I); (C)  $\rightarrow$  (III); (D)  $\rightarrow$  (IV)
- (3) (A)  $\rightarrow$  (IV); (B)  $\rightarrow$  (III); (C)  $\rightarrow$  (II); (D)  $\rightarrow$  (I)
- $(4) (A) \rightarrow (IV); (B) \rightarrow (III); (C) \rightarrow (I); (D) \rightarrow (II)$
- **33.** Select the **correct** matching :
  - (1) Insulin Decreases uptake of glucose utilisation by hepatocyte and adipocytes
  - (2) Cortisol Decreases RBC production, causes inflammation
  - (3) Thymosin Promotes production of antibodies to provide humoral immunity also.
  - (4) Thyroxine No role in water and electrolyte balance.
- **34.** Mark antagonistic hormones.
  - (1) Insulin and glucagon
  - (2) Adrenaline and noradrenaline
  - (3) Calcitonin and parathormone
  - (4) Both (1) and (3)

- **35.** The secretin promotes the release of;
  - (1) HCl and sodium carbonate ions.
  - (2) HCl and bicarbonate ions in gastric juice.
  - (3) Water and bicarbonates ions in pancreatic juice.
  - (4) Pancreatic enzymes and mucus.

#### **SECTION-B**

- **36.** (1) Marine with streamlined body
  - (2) Cartilaginous endoskeleton
  - (3) Mouth ventral
  - (4) Caudal fin is heterocercal
  - (5) Notochord is persistent throughout life

Above characters belong to how many of the following organisms?

Dogfish, Sawfish, Flying fish, Fighting fish, Angelfish, Jellyfish, Starfish, *Trygon*,

Torpedo, Rohu, Catla. Magur

- (1) Three
- (2) Four
- (3) Six
- (4) Seven
- **37.** Which of the following is **not** a characteristic feature of biceps muscle?
  - (1) We are usually able to make it contract merely by thinking about it.
  - (2) It has alternate light and dark bands.
  - (3) Its muscle fibres taper at both ends.
  - (4) Its muscle fibres are bundled together in a parallel fashion.
- **38. Assertion (A):** Three kinds of cofactors may be identified: Prosthetic groups, co-enzymes and metal ions.

**Reason** (**R**): A complete, catalytically active enzyme together with its bound prosthetic group is called apoenzyme.

- (1) Both **Assertion** (**A**) and **Reason** (**R**) are the true, and **Reason** (**R**) is a correct explanation of **Assertion** (**A**).
- (2) Both **Assertion** (**A**) and **Reason** (**R**) are the true, but **Reason** (**R**) is not a correct explanation of **Assertion** (**A**).
- (3) **Assertion (A)** is true, and **Reason (R)** is false.
- (4) Assertion (A) is false, and Reason (R) is



- **39.** Which of the following statements are correct with respect to vital capacity?
  - (a) It includes ERV, TV and IRV
  - (b) Total volume of air a person can inspire after a normal expiration.
  - (c) The maximum volume of air a person can breathe in after forced expiration.
  - (d) It includes ERV, RV and IRV.
  - (e) The maximum volume of air a person can breath out after a forced inspiration.

Choose the most appropriate answer from the options given below:

- (1) (a) and (e)
- (2) (b), (d) and (e)
- (3) (a), (c) and (d)
- (4) (a), (c) and (e)
- **40.** Which enzyme is responsible for the conversion of inactive fibrinogens to fibrins?
  - (1) Thrombokinase (2) Thrombin
- - (3) Renin
- (4) Epinephrine
- 41. Given below are four statements (a) - (d) regarding human blood circulatory system:
  - (a) Arteries are thick-walled and have narrow lumen as compared to veins.
  - (b) Angina is acute chest pain when the blood circulation to the brain is reduced.
  - (c) Persons with blood group AB can donate blood to any person with any blood group under the ABO system.
  - (d) Calcium ions play a very important role in blood clotting.

Which two of the above statements are **correct**?

- (1) (a) and (d)
- (2) (a) and (b)
- (3) (b) and (c)
- (4) (c) and (d)
- 42. Which of the following statements is **not** true about blood pressure?
  - (1) Blood pressure is measured with an instrument called a sphygmomanometer.
  - (2) If the blood pressure of an individual is 140/90 mm Hg or higher, it shows hypertension.
  - (3) The normal systolic pressure is 120 mm Hg and diastolic pressure is 80 mm Hg.
  - (4) Hypertension is caused by vasodilation which results in increased resistance to blood flow.

- 43. Which of the following is **correctly** matched?
  - (1) Afferent arterioles Carry blood away from glomerulus towards renal vein.
  - (2) Podocytes Create slit pores for filtration of blood into Bowman's capsule.
  - (3) Henle's loop Most reabsorption of major substances from filtrate.
  - (4) DCT Reabsorption of K<sup>+</sup> ions into surrounding blood capillaries.
- Following are the steps of dialysis.
  - (a) Blood is passed into a vein.
  - (b) Blood is mixed with heparin.
  - (c) Blood is mixed with anti-heparin.
  - (d) Blood is drained from convenient artery.
  - (e) Blood is passed through a coiled and porous cellophane tube bathing in dialysing fluid.
  - Removal of nitrogenous wastes from blood.

Their **correct** order is:

- (1) (a)  $\rightarrow$  (b)  $\rightarrow$  (c)  $\rightarrow$  (d)  $\rightarrow$  (e)  $\rightarrow$  (f)
- (2) (d)  $\rightarrow$  (b)  $\rightarrow$  (e)  $\rightarrow$  (f)  $\rightarrow$  (c)  $\rightarrow$  (a)
- (3) (f)  $\rightarrow$  (c)  $\rightarrow$  (e)  $\rightarrow$  (b)  $\rightarrow$  (a)  $\rightarrow$  (d)
- (4)  $(d) \rightarrow (c) \rightarrow (e) \rightarrow (f) \rightarrow (b) \rightarrow (a)$
- 45. Which of the following statements is incorrect about skeletal muscles?
  - (1) Striped appearance under microscope hence called striated muscle.
  - (2) They are voluntary muscles.
  - (3) Primarily involved in locomotory actions and changes of body postures.
  - (4) They are involuntary muscles.
- 46. Identify a **wrong** statement with respect to ribs.
  - (1) The ribs are curved bars, which are movable, articulate with the thoracic vertebrae at the back and unite with the sternum in front, all collectively forming a bony cage, the thoracic basket.
  - (2) Seventh rib is usually floating in Japanese and some other people.
  - (3) The upper seven pairs of ribs are attached in front directly to the sternum. These are called true ribs.
  - (4) The lower two pairs of ribs are free in front, they are known as floating ribs.



- **47.** Which of the following statement(s) is/are **false** about the electrical synapse?
  - (a) Electrical current can flow directly from one neuron into the other across the synapses.
  - (b) At electrical synapses, the membranes of pre and post-synaptic neurons are in very close proximity.
  - (c) Electrical synapses are rare in our system.
  - (d) Electrical synapses pass electrical signals between cells with the use of acetylcholine.
  - (e) Electrical synapses are fast.
  - (f) Transmission of an impulse across electrical synapses is very similar to impulse conduction along single axon.
  - (1) (a) and (b)
- (2) Only (b)
- (3) Only (d)
- (4) Only (e)
- **48.** According to the sliding filament theory;
  - (1) The actin filaments slide away from A-band resulting in shortening of sarcomere.
  - (2) Actin and myosin filaments slide over each other to increase the length of the sarcomere.
  - (3) Length of A-band does not change
  - (4) I-band increases in length.

- **49.** Arrange the sequence of action of work of FSH?
  - (a) Binding to membrane receptor
  - (b) Biochemical response
  - (c) Generation of second messenger
  - (d) Physiological response (e.g., Ovarian growth)
  - $(1) (a) \rightarrow (b) \rightarrow (c) \rightarrow (d)$
  - (2) (a)  $\rightarrow$  (c)  $\rightarrow$  (b)  $\rightarrow$  (d)
  - $(3) (d) \rightarrow (c) \rightarrow (b) \rightarrow (a)$
  - $(4) (c) \rightarrow (a) \rightarrow (d) \rightarrow (b)$
- **50.** Read the following statements and choose the **right** option.
  - (a) Calcitonin is non-iodized hormone secreted by parafollicular cells of the thyroid gland.
  - (b) Maximum iodine is stored in the thyroid gland.
  - (c) TCT is a hypocalcemic factor.
  - (d) Calcitonin (TCT) regulates the blood Ca<sup>2+</sup> level.
  - (1) All are correct
  - (2) All are wrong
  - (3) (a), (b) and (c) are correct
  - (4) Only (d) is correct

